
State of Alaska Department of Fish and Game Nomination for Waters Important to Anadromous Fish

| AWC Volume SE SC SW | w AR IN USGS Qu | 1ad | LOMON | 0-5 | |
|--|---|--|---|---|---|
| Anadromous Water Catalo | | | | | |
| Anadromous water Catalo | og Number of Waterway | D | ******* | Y | |
| Name of Waterway | isa aepaga | Alver | USGS name | Local | name |
| Addition Deletion | Correction | Backup I | nformation , | A | |
| | For (| Office Use | | | |
| | 94 362 | TITCE OBC | 110/14 | <u> </u> | |
| Nomination # | | | MAGU | | 10/7/93 |
| Revision Year: | 1994 | Re | gional Supe | rvisor | Date |
| Revision to: Atlas | Catalog / | ر کا | \leq |) | 8/26/02 |
| | Both NA | | | | |
| Revision Code: | | | | | |
| Revision code. | | | Drafte | d | Date |
| | OBSERVATI | ON INFORMAT | ION | | |
| Species | Date(s) Observed | Spawning | Rearing | Migration | Anadromous |
| Dolly Varder | 8/11/93 | | X | | X |
| Sanland | 8/11/03 | | X | | |
| Scalpin | | | | | |
| | | | | | |
| | | | | <u> </u> | |
| IMPORTANT: Provide all spawning, rearing or mobserved; sampling met Attach a copy of a map well as any other inforhabitat; locations, type | rigration of anadromous hods, sampling durati showing location of m rmation such as: speci pes, and heights of an | s fish, incl on and area outh and obs fic stream r y barriers; | sampled; numb sampled; o served upper reaches obse etc. | per of fish a copies of fie extent of eartent of eartend as spawn | nd life stages ld notes; etc. ach species, as ning or rearing |
| Comments: SEVERAL | - SMALL DOL | LY VAR | DEN (. | 50-130 | mm) |
| and sculpin | observed in | | | ef adja | cent |
| to GPPA | MINING COMP | STRE | SAM SU | | CEMENTEL |
| GPPA paralous | e indicated | le has | costo | und a | tagged |
| adult Dally | Uniden to M | DIAD IIN | DO AT | THE C | AMP. |
| estable to the ty | venue pe | | | | |
| | ^ | · | - 101 | | FISH & GAME |
| Name of Observer (plea | se print) | RT F | , MC | EAN | |
| Date: 10/7/93 s | ignature: | 114 | MLes | | NOV 0 8 1993 |
| A | ddress: Alaska D | ept. of Fish a | nd Game | | REGION II |
| | Habitat D | Division . | | | THE AND RESTRICT |
| This certifies that i | | | and belie | f the above | information is |
| evidence that this was Important for Spawning | aterbody should be in | cluded in 2 | deleted | from the Cat | alog of Waters 870. |
| Important for Spawning | ,, hearing or migracio | | MARCO | - | |



MEMORANDUM

State of Alaska

To:

Lance Trasky

Date:

November 1, 1993

Regional Supervisor

Habitat and Restoration Division

File No:

Telephone Number:

451-6192

From

Alvin G. Ott, Regional Supervisor

Sub ject:

1994 Anadromous

Catalog

Habitat and Restoration Division
Department of Fish and Game

RE: 1994 Anadromous Catalog Nominations

Enclosed are Region III's proposed changes to the Catalog of Waters Important for Spawning, Rearing or Migration of Anadromous Fishes. Also enclosed are two memos which specifically address nominations made for the Seward Peninsula Area. Should there be any questions, please contact either me or Mr. McLean at 451-6192.

Enclosures

cc:

Lana Shea, ADF&G, Juneau Phil Brna, ADF&G, Anchorage

AGO/ago

MEMORANDUM

State of Alaska Department of Fish and Game

ALASKA DEPT. OF FISH & GAME

To: Lance Trasky Date: October 26, 1993

Regional Supervisor 60 8 1993

Habitat and Restoration Division File No:

REGION II
ephone Number: 451-6192 HABITAT AND RESTORATION

Telephone Number: 451-6192 DIVISION

From: Alvin G. Ott No. Subject: 1994 Anadromous

Regional Supervisor Catalog
Habitat and Restoration Division Nominations

Department of Fish and Game

RE: 1994 Anadromous Catalog Nominations -- Justification for Designation of Visually Observed Juvenile Arctic Char (Dolly Varden) and Coho Salmon within the Seward Peninsula Area.

The following justification has been prepared for the record and reflects the factual basis and professional judgement exercised in our determination to accept visually documented juvenile Arctic char (Dolly Varden) and coho salmon for submission to and inclusion in the 1994 Update to the Catalog of Waters Important for the Spawning, Rearing, or Migration of Anadromous Fish. While internal measures have been adopted to ensure accurate species identification (and thus maintain the department's credibility), it is important to recognize that AS 16.05.870 provides protection for all anadromous fish species. Species identification is required only to understand life history requirements that warrant permit protection under AS 16.05.870(b), but not necessarily for designation of a waterbody under AS 16.05.870(a)

Background

Anadromous Catalog nominations were submitted for the following streams based on visual observations of juvenile Arctic char (Dolly Varden) and/or coho salmon by Habitat and Restoration and Commercial Fisheries and Development division area biologists:

| Stream Name | <u>Species</u> | Approx. # | <u>Date</u> | <u>Observer</u> |
|----------------------------|----------------|-----------------|-------------|-----------------|
| Osborn Creek (Nome R.) | Dolly Varden | | 6/23/91 | Lean |
| North Fork (Kougarok R.) | Dolly Varden | Several 100s | 8/12/93 | McLean |
| Neva Creek (Kougarok R.) | Dolly Varden | 21 | 8/12/93 | McLean |
| Coffee Creek (Kougarok R.) | Dolly Varden | Several 100s | 8/12/93 | McLean |
| Goldbottom Ck. (Snake R.) | Dolly Varden | Several dozen | 8/04/93 | McLean |
| | • | 3 net seined | | |
| Saunders Creek | Dolly Varden | Several dozen | 8/06/93 | McLean |
| Hastings Creek | Dolly Varden | | 8/06/93 | McLean |
| West Fk. Solomon | Coho Salmon | Several dozen + | 8/11/93 | McLean |
| | Dolly Varden | Several dozen + | 8/11/93 | McLean |
| Willow Creek | Dolly Varden | | 8/11/93 | McLean |
| Butte Creek | Dolly Varden | Several dozen + | 8/11/93 | McLean |
| Johns Creek | Dolly Varden | Several dozen + | 8/11/93 | McLean |
| Cheyenne Creek | Dolly Varden | Several dozen + | 8/11/93 | McLean |

Background (Continued)

| Stream Name | <u>Species</u> | Approx. # | <u>Date</u> | Observer |
|--------------------------|----------------|-----------------|-------------|----------|
| Jones Creek | | Several dozen + | 8/11/93 | McLean |
| | Coho Salmon | | 8/11/93 | McLean |
| Winston Creek | Dolly Varden | Several dozen + | 8/11/93 | McLean |
| | Coho Salmon | Dozen + | 8/11/93 | McLean |
| Fish Creek | Dolly Varden | Several dozen | 8/11/93 | McLean |
| Montana Ck. | | Several dozen | 8/11/93 | McLean |
| Coal Creek | Dolly Varden | Hundreds | 8/11/93 | McLean |
| Ruby Creek | Dolly Varden | Several dozen + | 8/11/93 | McLean |
| Casadepaga River | Dolly Varden | Several | 8/11/93 | McLean |
| Fox Creek | Dolly Varden | Several dozen | 8/11/93 | McLean |
| Unnamed Trib. (Coal Ck.) | Dolly Varden | Six | 8/11/93 | McLean |
| Rock Creek | Dolly Varden | Several dozen | 8/11/93 | McLean |
| Victoria Creek | Dolly Varden | Several 100s | 8/11/93 | McLean |
| Offield Creek | Dolly Varden | Seven | 8/11/93 | McLean |

Requirements for Visual Identification

- 1. All visual observations were made under full light conditions in slack water (step pools, lateral scour pools, side channel sloughs, etc).
- 2. Species designation was not recorded unless observer could detect and observe sufficent distinguishing characteristics (noted below) to provide positive identification.
- 3. Visual identification accepted only for upper limit extension or inclusion of additional undocumented tributaries within river segments or stream systems previously documented (fish in hand) to contain the identified species. Within the identified waterbodies, only coho salmon and/or Dolly Varden have previously been documented. Chinook salmon, cutthroat, or steelhead have not been documented in these waterbodies.
- 4. Observers routinely electroshock/trap both juvenile coho salmon and Dolly Varden; thereby providing opportunity for constant visual "recalibration" of distinguishing characteristics.

Distinguishing Factors for the Visual Identification of Juvenile Dolly Varden and Coho Salmon in Norton Sound Drainages

| Coho Salmon | Size: | Typically 35 to 130 mm in Norton Sound drainages. |
|----------------|-------------|--|
| | Parr Marks: | Fairly even spaced; tall, vertical, bar shaped. |
| | Anal Fin: | Sharply angled; first ray elongated (generally observable, though not always); black/darkish along leading edge. |
| | Dorsal Fin: | Black/dark tinge along leading edge; generally clear elsewhere; rarely spotted. |
| | Color: | General dark green/silver coloration on back; silver coloration along sides. |

Dolly Varden Size:

Typically 40 to 170+ mm in Norton Sound drainages (most

less than 130 mm).

Parr Marks:

Irregularly spaced; rounded, oval or rectangular shaped. Overall impression - parr marks generally much wider than

intervening spaces.

Anal Fin:

Fin triangular shaped - not angled; first ray does not extend

beyond base of last ray; general coloration is lightly hued

and frequently streaked with orange pigmentation.

Dorsal Fin:

Generally spotted or dark

Color:

Generally dark; mottled green blotches along dorsal surface. Lateral sides mottled with blotchy parr marks, occasionally light orange/yellowish pigmentation but rare

Casionary right orange/yenowish pigmen

on fish under 170 mm.

cc:

Frank Rue, ADF&G-H&R, Juneau Lana Shea, ADF&G-H&R, Douglas Phil Brna, ADF&G-H&R, SPCO Charlie Lean, ADF&G-CF, Nome Fred Andersen, ADF&G-SF, Fairbanks Fred DeCicco, ADF&G-SF, Fairbanks

AGO:BM